



FLOOR-EVEN SHOWERING IS BOOMING

More and more customers want to have an open design in their showering area. Our systems for floor-even showering offer very individual solutions to fulfill these wishes. The Geberit trademark guarantees timeless design with respect to function and aesthetics, the best in quality and a unique know-how for drainage – with clear advantages for the sanitary engineer, the plumber and the customer.


Which solution suits your project? You will learn more about flooreven showering with Geberit on the following pages. We look forward to increasing your success with our know-how and our products.


FLOOR-EVEN SHOWER SOLUTIONS

There are good reasons to decide on a solution from Geberit for floor-even showers. Whether it involves a shower surface, wall drain, shower channel or floor drain, the assortment makes it possible to tailor the installation precisely to the building situation and the customer's wish. The greatest challenge – the caulk – is perfectly prepared because the sealing foil is already integrated at the factory, thus making it a permanent component of the product. This saves time and cuts stress during installation, and minimises the risk of leaks.



Geberit shower surface SetaplanoOur smooth surface made of solid surface material





Geberit wall drain for showersOur elegant design solution in the wall

Fine design from Geberit:


- · High-quality and beautiful
- Reliable thanks to sealing foil integrated at the factory
- Simple handling from order to installation
- Integrated sound insulation
- For new construction and renovations
- Lean assortment with rapid delivery
- Easy to clean












Geberit shower channels
of the CleanLine series
Our solution for elegant designer lines
in the floor

GEBERIT SHOWER SURFACE SETAPLANO

PREPLANNED PREASSEMBLED

The Geberit shower surface Setaplano is a captivating product from the very first glance – and the very first touch. Made of a high-quality solid surface material, it has a surface that feels silky-smooth and warm to the touch.





HIGH-QUALITY PRODUCT MATERIAL

In the Geberit shower surface Setaplano, the number of individual parts required for installation is kept to a minimum. With the steel frames and sealing foil preassembled at the factory, the work is made significantly simpler and a high level of safety is ensured.

SOPHISTICATED DESIGN

Not only is the Geberit shower surface Setaplano easy to install, it also offers tangible added value to the user. Solid surface material is highly resistant and non-porous, making it easy to clean. The drain area has been deliberately designed without edges where dirt can collect. What makes the shower surface especially easy to clean is the practical comb insert, which can be removed easily and cleaned as required.

	0 x 1	
100 x 100		
90 x 9	0	Ш
80 x 80		Ш
		Ш
		Ш
		Ш
		Ш

	1	00 x	140	
	1	00 x	120	

90 x 140	
90 x 120	
90 x 100	
1,	
1	

80 x 150
80 x 140
80 x 120
80 x 100



- Small number of individual parts, ensuring easy installation
- Highly safe thanks to sealing foil integrated at the factory
- Robust, exceptionally non-slip product material

GEBERIT INSTALLATION FRAMES

PRECISION RELIABILITY



EASY-TO-INSTALL TRAP

The trap is available in two models: one with a 30 mm depth of water seal and a discharge rate of 0.45 l/s, and one with a 50 mm depth of water seal and a discharge rate of 0.65 l/s. Both models can be snapped into the preassembled bracket and aligned by rotating 360°. Cleaning is a breeze, as the flexible water seal tray can be removed as a whole part.




STABLE AND SUITABLE FOR BUILDING SITES

The distinctive blue installation frame, made of powder-coated steel, is available in a range of sizes. Four to six feet are required for installation, depending on the size. The feet are simply clicked into place on the frame at the designated points.



SIMPLE ALIGNMENT - SECURE FASTENING

The feet can be aligned easily with the floor height using a standard tool, working from above. Once this is complete, sliders are used to secure them reliably in place.



- Preassembled, stable steel installation frame for easy installation
- The feet click into place on the frame in no time at all
- Precise trap placement thanks to integrated bracket
- Convenient height adjustment from above

GEBERIT WALL DRAIN FOR SHOWER

DESIGN SOLUTION **IN THE WALL**

The Geberit wall drain permits floor-even showering in pure form. Integrated behind the wall, it is outstanding not only for its elegance but also for its clear added value in terms of planning, installation and maintenance.






DEVELOPED FOR OPTIMUM HYGIENE

The Geberit wall drain for shower features an integrated comb insert which can be removed and washed out in no time at all. The cleaning of the shower floor is particularly simple with wall drains.



WELL-THOUGHT-OUT ALL DOWN THE LINE

The optionally installable collector profile directly in front of the wall supports the slope and collects dirt and deposits so that they can be readily washed



GEBERIT SHOWER CHANNELS OF THE CLEANLINE SERIES

DESIGN SOLUTION IN THE FLOOR

Geberit shower channels of the CleanLine series combine elegant appearance with the easy installation of a floor drain. In addition, the innovative system solves the hygiene problem many shower channels have.





FLEXIBLE LENGTH AND PLACEMENT

Geberit shower channels of the CleanLine series can be cut to length directly at the time of installation in accordance with the individual showering area. The design harmonises with any floor and can be placed either close to the wall or in the middle of the shower



DESIGNED FOR SIMPLICITY AND CLEANLINESS

Shower channels are often difficult to clean. But not Geberit shower channels of the CleanLine series: the dirt flows off the collector surface perfectly. And the comb insert can be removed and washed out in no time at all.




GEBERIT FLOOR DRAIN FOR SHOWER

SIMPLE AND COMPACT

The Geberit floor drain for shower is the universal solution for floor-even showering with clear advantages: reduced design, ingenious function and simple installation.





MAXIMUM REDUCTION AND PRECISION

The Geberit floor drain for shower convinces with its very compact construction (only 80 × 80 mm grating area) and with its very high functionality. The height, inclination and offset of the grating can be adjusted to suit the tile grid.



ALWAYS A CLEAN TRAP AND WASTE


Under the grating, there is an integrated comb insert which can be easily removed and washed out for cleaning. This effectively prevents clogging in the trap and waste and the discharge pipes.

BIG PERFORMANCE IN A SMALL PACKAGE

Wherever installation needs to be as simple as possible and costs kept as low as they can be, the Geberit floor drain is the best solution – and the most compact one as well, with only 80 × 80 mm grating area. Hidden under the grating are the great qualities that make Geberit one of the world's leading providers of sanitary technology.



← 80 mm →



DESIGN/PRODUCT MATERIAL





Stainless steel, round

Stainless steel, square

- Intelligent details for uncomplicated installation
- Design grating made of solid stainless steel
- Simple cleaning thanks to integrated comb insert

TECHNICAL INFORMATION

GEBERIT SHOWER SURFACE SETAPLANO

SHOWER SURFACE SETAPLANO

INSTALLATION FRAME SETAPLANO (to order additionally)





SIZES	ART. NO.	ART. NO.
90 x 90 cm	154.270.11.1	154.470.00.1
100 x 100 cm	154.280.11.1	154.480.00.1
120 x 120 cm	154.290.11.1	154.490.00.1
100 x 120 cm	154.282.11.1	154.482.00.1
100 x 140 cm	154.284.11.1	154.484.00.1
90 x 100 cm	154.271.11.1	154.471.00.1
90 x 120 cm	154.273.11.1	154.473.00.1
90 x 140 cm	154.275.11.1	154.475.00.1
80 x 100 cm	154.262.11.1	154.462.00.1
80 x 120 cm	154.264.11.1	154.464.00.1
80 x 140 cm	154.266.11.1	154.466.00.1

INSTALLATION SET SETAPLANO (TO ORDER ADDITIONALLY)









FOR FRAME SIZE ≤ 100 CM (4 feet)

Art. no. 154.010.00.1

floor construction height 11.5-16.5 cm

Art. no. 154.020.00.1

floor construction height 9.5-11.5 cm

Art. no. 154.030.00.1

cross-floor installation

FOR FRAME SIZE > 100 CM (6 feet)

Art. no. 154.013.00.1

floor construction height 11.5-16.5 cm

Art. no. 154.031.00.1 cross-floor installation

Art. no. 154.021.00.1

floor construction height 9.5-11.5 cm

ACCESSORIES (OPTIONAL)



Foot extension set (2 pieces) Art. no. 154.036.00.1 height 16.5 - 25 cm



Shower drain ¹⁾ **Art. no. 154.016.00.1**floor construction height 11.5-16.5 cm



Shower drain 1) **Art. no. 154.022.00.1**

floor construction height 9.5-11.5 cm



Shower drain ¹⁾ **Art. no. 154.032.00.1**cross-floor installation

¹⁾ to be ordered instead of the installation set when the shower surface will be installed without installation frame

TECHNICAL INFORMATION

GEBERIT SHOWER WALL DRAINS

GEBERIT DUOFIX ELEMENT FOR SHOWER, WITH WALL DRAIN



Art. no. 111.580.00.1 floor construction height from 90 mm

Art. no. 111.581.00.1 floor construction height from 65 mm



Art. no. 111.591.00.1 floor construction height from 90 mm

Art. no. 111.593.00.1 floor construction height from 65 mm

GEBERIT KOMBIFIX ELEMENT FOR SHOWER, WITH WALL DRAIN




Art. no. 457.534.00.1 floor construction height from 90 mm

Art. no. 457.536.00.1

floor construction height from 65 mm

READY-TO-FIT-SET



Art. no. 154.335.21.1 bright chrome-plated

Art. no. 154.336.FW.1 stainless steel brushed

Art. no. 154.335.11.1 white alpine

Art. no. 154.338.00.1


for tiles, without frame

Art. no. 154.339.00.1 for tiles, with frame

Art. no. 154.337.FW.1

stainless steel brushed, screwable

COLLECTOR PROFILE FOR GEBERIT WALL DRAIN FOR SHOWER



Stainless steel brushed Art. no. 154.340.FW.1 length 115 cm


Art. no. 154.341.FW.1 length 150 cm

REMARKS

- Two possible positions for drainage connection left or right
- Additional collector profile for easy maintenance and cleaning

GEBERIT SHOWER CHANNELS

INSTALLATION SET FOR GEBERIT SHOWER CHANNELS CLEANLINE DRAIN



Art. no. 154.150.00.1 floor construction height from

Art. no. 154.152.00.1 floor construction height from

Dark metal / metal brushed

Art. no. 154.450.00.1 length 30-90 cm

Art. no. 154.451.00.1

CLEANLINE20



Art. no. 154.153.00.1 cross-floor installation

Art. no. 154.050.00.1 floor construction height from 90 mm

> Art. no. 154.052.00.1 floor construction height from 65 mm

GEBERIT FLOOR DRAINS

GEBERIT FLOOR DRAIN FOR SHOWER



Art. no 154.053.00.1 cross-floor installation

GEBERIT SHOWER CHANNEL STANDARD GRATING (INCLUDED)



Art. no. 243.120.00.1

ADDITIONAL GRATINGS

length 30-130 cm



Dark metal / metal brushed Art. no. 154.456.00.1 length 30-90 cm

Art. no. 154.457.00.1

CLEANLINE60 THIN

Art. no. 154.458.00.1 length 30-90 cm

GEBERIT SHOWER CHANNEL

GEBERIT SHOWER CHANNEL

individual length, customisable

length 30-130 cm

Metal brushed

TILE-BEARING

Stainless steel

Art. no. 154.455.00.1

Art. no. 154.456.KS.1 length 30-90 cm

length 30-130 cm

Art. no. 154.459.00.1

length 30-130 cm


Metal polished / metal brushed

Metal polished / metal brushed Art. no. 154.450.KS.1

length 30-90 cm

Art. no. 154.451.KS.1 length 30-130 cm

Art. no. 154.457.KS.1



Grating, square, 8 x 8 cm Art. no. 154.312.00.1

Grating, round, 8 x 8 cm Art. no. 154.311.00.1

Geberit grating, screw-locked. 8 x 8 cm Art. no. 154.310.00.1

REMARKS

• Shower channel can be individually cut (minimum length is 30 cm)

REMARKS

• Standard grating is supplied with the Geberit floor drain for shower

Geberit Plumbing Technology India Private Limited

At The LaLiT Ashok Kumara Krupa High Grounds Bengaluru 560 001 India CIN no: U41000KA2005PTC036146

T+918068281101 F +91 80 68281133

T+919004032459 sales.in@geberit.com www.geberit.in

Branches

New Delhi +91 11 26940358 Mumbai +91 22 6671 3621 +91 20 2564 8064 Pune

For service support: inba_sps@geberit.com T+91 98 80125588

Toll Free 1800 102 4323
Timing: 9am to 6pm (Monday-Saturday)
Closed on Sundays and Public Holidays